

GV-Control Center

GV-Control Center is designed for enterprise system users to handle high-volume video data. By its strong remote capabilities, GV-Control Center helps security guards to quickly identify threats, and take swift actions.















About GeoVision Control Center

The GV-Control Center is an integrated security management software that provides the ability to maintain a central monitoring station.


GV-Control Center is a comprehensive solution to control GV-System (GV-DVR/NVR), GV-VMS, GV-Recording Server, and GV-I/O devices from a central location.

With GV-Control Center, multiple GeoVison surveillance and video management systems can be managed and maintained efficiently, which enhances their monitoring performance and ensures smooth operation.






www.geovision.com.tw



GV-Control Center Overview Advanced functions include

- Face Management
- Face Search
- I/O Panel Integration
- Access Control Integration
- Support SIP Device
- Support GV-Enterprise
- Support PTZ Controls
- Support Remote Desktop
- Live Streaming from GV–Decoder Box for Video Display
- Video Wall Display

- VMD Event Popup Display
- Pop View Display
- Timeline Playback
- Instant Playback
- Event Bookmark Playback
- Storyline Playback
- Live Mobile Streaming
- 3D-Emap
- Enhanced System Log
- Audio Broadcasting
- AES Encryption
- Two-Way Audio



Centralized Management

GeoVision's Control Center is designed for large, enterprise system users. It integrates multiple applications into one, which saves manpower and budget, and creates more effective surveillance.

Face Management

It is a face database manager an large organization could use to manage employees and visitors of multiple sites, from a single point.

IFR											
intero61		1000		H		15.		8		E	
carac P Gwyceroa	Search Log						X G			×	
								East Tra		1 Canadi	
	Creet mage	Fecogrition Name	Dea	Cares Nese	Tes.	-	Center	Ibri Have IP Addess	* 7/13/2320 • 30.03	M ÷	15.35,12
	8	2	Uniciaan	Carren01	7/10/2020 19:42-46		Unknown	TEST AN-FR-Carr., SE MELL 80	End Time		
		2	Uninses	Carren M	7/17/2020 17:4540		Johneser	TEST AI FR Carrue 151 INDE:106	713/2330 • [B403	****	
	0	2	Unitses	Carrierin	010/2001140255		Minout	05-8645.1am. 16-1873.18	CLUTRE CONTRACTOR	era 4, Carnera 💌	10000
	3	2	Unicers	CareisM	7/10/2020 19 63:00		Maxar	TEST /4+FR-Carr "SE 10E.C."00	Tane		Candrel 1
	3	2	Unitoon	CarcanOl	7)10/2020 10:0300		(kincur	TEST AN PR-Carr., 192 187.6186	The Reality of Control		3229
	1	2	Wersen	Carrent/1	7/10/2020 18:03:04		antrear	1837/44FR-Carr	3tur	-	
		2	Uninses	Carrent/1	1010/2020 10 43-04		Johneun.	TEST ALFR. Carr., "SLINEA" IN	The second		
	1	2	Uncrown	Carrestol	7/10/2020 19/03/08		Unincur	TEST ANTI-CARTL. IE MELL 16	- 300 Getter		.000
	R	2	Unicroses	Carrent01	7/10/2020 19 43/11		Johneur	TIST ANT D Carr., "HE HELE." IS			Corme()
	8	2	Unictown	Carren/d	7/17/2006 12:0218		leineur.	TIST ALFS. Car., 100 MEA. W			13 39:55
	9.	2	Univ and	Can each	7/12/2020 19:03.20		Menar	TEST AHPINGen	· · · · · · · · · · · · · · · · · · ·	K Qnel]
	e			- 10				. ,	KIP L	80	
				Reverse 2000			6-		North	🚆 ner stab 5000	
		d for			STAC/RCemens01	5		TSTATE .			(R Candel 1
			C 702200 196533				101	0 7/00/3020 19:05		0 730/20	033.6

FaceWatch




Face thumbnail in real-time

Face Enrollment



Face enrollment in batches


Face Quick Enroll




Snapshot for quick on-site face enroll

Pop View

Pop View allows the central operator to monitor up to 100 cameras on the same screen from multiple hosts. The operator can remotely change the camera's monitoring status and properties.




Group your views



Prioritize your views

I/O Central Panel



Manage I/O from multiple sites from a single point

Access Control

Control Center can also manage multiple GeoVision access control systems that are connected to Control Center.








Access Log

```
Enhance System Log
```

Lancel			Pattern 1 video Mat	140					民思 (
Fortist:	*	Seten(2)	Carlos INI Appendia						
EuspEat	v	feel.	in .	in the	De: Denda	Kauge Dae	Bear La	Described	
Lanost List		Lage lage a	atels	Leat	lise Lagir	229671910394			
		Sub-scalar.	atala	-	fait the spatements	1010 CT ID 10: N/T			
		topological	alan	land	the tage	ALCONTRACK.			
		sancorig.e	admin		Cult the application	22542710 552548			
		Ingedite a	etala	1478	Declarge.	1210 CT 10 10 MAR			
		Lapsdayed	alars	See	lagent	Reputation			
		Lagesbyout	atrain	Lacal	Lose Loge				
		Ingeland	stain	872	loom	TORCE DI LAM			
		Lopelloped	alaa	(ma)	the loge:	43401010-67			
		Laperbalant	atmin	LACK	Logent	109401011408			
		Intelligent	stein	-	Lan Lage	10801011440			
		LopeBard	alare	ine	lugad	224701793			
		Laperbook	atreis	(140)	Ule Logir	22942710 111468			
		Ingeliena	abole .	1414	lecast	1010101144			
		Lage Report	den	(mail	See Loge	200701044			
		topelloged	idain	LACE	logent	236701764			
		Ingelagest	stais		Declage	THE BALLAST			
		Lage Tage A	alasi	Lear	Logovi	ALCONT OF THE			
		Lage-Report	al unit	lana	lie Lige	256761163			
		Injedige.e	atain	-	legan	tosch bi sy ho			
		Lage boal	aten.	Lear	Ner Lage	2010/0710 11/ 100			

Events of system operations for maintenance and troubleshooting



Live View video


Different live view modes. Different ways to view and track.



Events can be overwhelming, which is why we offer multiple live video modes. Find the live view mode that best serves your needs.


3D-Emap integration

Pull in VMS actions (with some exceptions) into a centralized visual view and reduce your response time by using 3D-Emap.



Face Detection

Visual Route on Face Detection



Face identified. Tracking starts. (Must use a GV FR camera)

Tracks from cameras to cameras. Immersive experience

Video Wall


With the Video Wall, you can display composite IP sources from various IP devices on a single server, which allows for easy viewing. With the Control Center, you can remotely configure and manage up to 200 video walls, each with a different layout.



GV-IP Decoder Box for Remote Display

GV-Control Center is able to connect to GV-IP Decoder Box for assigning the desired camera channels to be displayed on the GV-IP Decoder Box for remote monitor display.







Group your views


Display your views

Notification

Different ways to get alerts about activities and security risks. Respond faster, take action.


GV-Live Streaming

GV-Live Streaming captures real-time video from your mobile phone and sends it to Control Center. This helps report and archive threats and suspicious in corners where there is no surveillance camera coverage. The app allows fast transmission of the video under WI-FI or LTS networks for instant reporting with no delays.



VMD Monitoring

With the VMD (Video Motion Detection) function, the operator can be alerted with a pop-up display of live videos when any of the following events occur: Motion, Temperature Alarm, Input Trigger, Crowd Detection, Advanced Unattended Object Objection, Advanced Scene Change Detection and Advanced Missing Object Detection.




Pop-up display from different servers to control room



Visual alerts to allow immediate attention

Playback

Find the incident you want faster, understand the context better.



Finding an incident can be time-consuming and labor-intensive. With different playback modes, it is easy to find the incident you want.

Bookmark

Bookmark a specific video for later viewing which allows for better case management and sorting.

		X
Ⅲ ≡ <u>↓</u> ₽ 6 ●−−−−− ₽ 6		٩
* 200710190801 * Carsera 1	 2020-07-10 19:07:44 VD8700 	
* 200710190805 > Carrera 1	 2020-07-10 19-08-25 VD8700 	
* 200710100802 * Canera 1	 2020 07 10 10:08:09 BX-2700FD 	
★ 200710190006 → Camera 1	● 2020-07-10 19:08:38 ₩ 80-2700#D	
★ 200710190803 ★ Carriero 1	 2020-07-10 19 08:11 BX5700 	
* 200710190807 * Camera 1	 2020-07-10 19:08:41 BX5700 	
200710190804 Camera 1	 2020.07-10 11:07:58 (Vi-AFI 2702 	
* 200710190808 * Convers 1	 2020-07-10 11:08:42 GV-AEL2702 	
		# 20071979001 2200710710710710714 * Control 1 * 2007107100002 * Control 1 * 2007071000002 * Control 1 * 200071000002 * Control 100004 * 200071000002

Storyline

Different cameras covering event allows for tracking people across camera and buildings. You can combine into a single global view.

